## BEST AVAILABLE CO

L2 ANSWER 106 OF 267 CA COPYRIGHT 2004 ACS on STN 122:292994 CA AN ED Entered STN: 10 Jun 1995 TI Manufacture of uniform foams with high expansion ratio IN Takagi, Osamu Sekisui Chemical Co. Ltd., Japan PA so Jpn. Kokai Tokkyo Koho, 8 pp. CODEN: JKXXAF DТ Patent Japanese LA IC ICM C08J009-12 ICI C08L001-00 38-3 (Plastics Fabrication and Uses) FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE -----------------------------------PΙ JP 07041592 A2 19950210 JP 1993-189768 19930730 PRAI JP 1993-189768 19930730 CLASS PATENT NO. PATENT FAMILY CLASSIFICATION CODES JP 07041592 ICM C08J009-12 ICI C08L001-00 The title foams are prepd. by impregnating inorg. gas (e.g., CO2) under high temp. and pressure into compns. from cellulose fiber (e.g., waste newsprint) 100, binders (e.g., starch) 10-100, water 100-1000, and surfactants (e.g., ammonium lauryl sulfate) 0.1-20 parts. STcellulose fiber foam carbon dioxide; starch binder cellulose fiber foam IT Porous materials and Cellular materials

Pulp, cellulose